



**CATEGORY DEFINITION**


For use on random orbital and rotary sanders. The industry's highest performing and broadest selection of paper discs in PSA (pressure sensitive adhesive) disc rolls, individual discs, and hook and loop discs.

<b>APPLICATIONS:</b>	Stripping and preparing primed and painted surfaces for finishing, sanding of plastics, fiberglass and composites, bare wood sanding, light weld blending, preparing and finishing metal, and sanding of all gel coat and body filler compounds
<b>SIZE RANGE:</b>	3" – 8"
<b>GRIT RANGE:</b>	36 – 2500
<b>ABRASIVE GRAIN:</b>	Ceramic Alumina, Zirconia Alumina, Aluminum Oxide, Silicon Carbide
<b>ATTACHMENT SYSTEMS:</b>	PSA (pressure-sensitive adhesive), hook and loop
<b>PAPER WEIGHTS:</b>	Heavyweight – E and F; Lightweight – A, B and C
<b>VACUUM HOLES:</b>	See product availability charts

**MATERIAL/APPLICATION-TO-PRODUCT RECOMMENDATION GUIDE**

	<b>BEST</b> Highest Productivity – Lowest Total Cost		<b>BETTER</b> Excellent Blend of Performance & Price		<b>GOOD</b> Consistent Performance – Low Initial Price	
	Heavy-Medium Stock Removal	Light Stock Removal-Finishing	Heavy-Medium Stock Removal	Light Stock Removal-Finishing	Heavy-Medium Stock Removal	Light Stock Removal-Finishing
Primed, Painted Surfaces		A975	H875P	A275	H290	PB273
Fiberglass / Composites / Gel Coats		A975	H875P	A275	H290	PB273
Wood		A975	H875P	A275	H290	PB273
Metal	H920	A975	H822	A275	H290	PB273
Body Fillers / Compounds / Plastics		A975	H875P	A275	H290	PB273

**APPLICATION/GRIT RECOMMENDATION GUIDE**



**CROSS REFERENCE GUIDE**



	<b>BEST</b>		<b>BETTER</b>					<b>GOOD</b>		
	F-Wt.	B- & C-Wt.	F-Wt.	E-Wt.	B-Wt.	B-Wt.	B-Wt.	E-Wt.	C-Wt.	B-Wt.
<b>NORTON</b>	Norton SG H920	Dry Ice A975	BlueFire H822	BlueFire H875P	Adalox A275	Adalox A270	Durite A475	Adalox H290	Adalox A290	Merit PB273
<b>3M</b>	763U, 7511	734U, 735U, 765L	–	750U, 751U, 740I, 745I	216U, 255L, 260L, 334U	210U, 268L, 360L	414N, 415N, 405N, 415U, 435U	363I	236U	214U, 316U Red. NX
<b>Hermes</b>	CB115	–	BW 115	–	VC154-LL	VC152	PSF-LL, SF168	VC152	HCAB-LL, HC135, VC151-LL	–
<b>Indasa</b>	–	–	–	–	RedLine	–	–	–	–	WhiteLine
<b>Klingspor</b>	–	PS36	PS20, PS21, PS22	–	PS33	–	PL35	–	PS33	PL36
<b>Mirka</b>	–	–	–	Royal Coarse Cut	Q-Silver, Royal, Royal Micro	Silver	CaratFlex, PolarStar	–	Bulldog Gold, Basecut	Carat (B), Basecut
<b>SIA</b>	–	1950	1820, 1919	1820, 1919	1940, 1950	–	1748	–	1947	–
<b>VSM</b>	–	–	–	KP510E, KP709	MPG	–	CP131A	–	KP911	MP10



FEATURED PRODUCTS



**NORTON SG H920**

BEST CHOICE FOR MORE DEMANDING STOCK REMOVAL APPLICATIONS

FEATURES

- Patented Norton SG ceramic alumina abrasive
- Strong, heavy F-wt. paper, synthetically-coated

BENEFITS

- Maximum life; fast aggressive cutting action, yet cool cutting
- Maximum durability and chip resistance, ideal for soldered and welded areas, and unpainted metal applications



EXPANDED OFFERING

**NO-FIL NORTON DRYICE A975**

BEST CHOICE FOR THE MOST DEMANDING SANDING APPLICATIONS

FEATURES

- Patented P-graded Norton SG ceramic alumina abrasive
- Unique fiber-reinforced, flexible B- and C-wt. latex-saturated backing
- Water-based No-Fil stearate, non-pigmented

BENEFITS

- Fastest cut rate; longest life of any paper disc
- 50-60% improvement in tear strength, longer life in all applications
- Flexible; can be used wet
- Provides maximum load resistance and extended life; no color transfer



IMPROVED

**NORTON BLUEFIRE H875P**

BETTER CHOICE FOR SOFT MATERIAL APPLICATIONS

FEATURES

- Next-generation zirconia alumina abrasive
- Strong, heavy, E-wt. paper
- Open coat design

BENEFITS

- Extended life over original zirconia alumina products
- Improved cut rate
- Increased durability and chip resistance, flexible
- Reduced loading; ideal for body-filler, fiberglass and composites



**NO-FIL NORTON ADALOX A275**

BETTER CHOICE FOR HIGH-PERFORMANCE DRY FINISHING ON ALL MATERIALS

FEATURES

- Premium P-graded, heat-treated aluminum oxide abrasive
- Unique fiber-reinforced, flexible B-wt. latex-saturated backing
- Water-based stearate, non-pigmented, No-Fil coating
- 5" and 6" individual PSA discs in fine grits have a tabbed, white translucent liner

BENEFITS

- Superior life, fast cut rate, consistent finish
- 50-60% improvement in tear strength
- Flexible; can be used wet
- Provides maximum load resistance and extended life; no color transfer to work
- The PSA adhesive is protected from air-borne contaminants
- The tab allows easier removal of the paper liner



**NO-FIL NORTON DURITE A475**

BETTER CHOICE FOR HARD-TO-SAND SURFACES AND WOOD APPLICATIONS

FEATURES

- P-graded, hard, silicon carbide abrasive
- Water-based stearate, non-pigmented, No-Fil coating
- Durable, fiber-reinforced, B-wt. latex paper

BENEFITS

- Easy penetration of the hardest surfaces
- Resists loading for the longest usable product life; no color transfer to work
- Provides flexibility and resistance to tearing



EXPANDED OFFERING

**MERIT NO-LOAD PB273**

GOOD CHOICE FOR SANDING PAINT, PRIMER, PLASTICS, FIBERGLASS, AND WHITEWOOD AT A LOW INITIAL PRICE

FEATURES

- P-graded, aluminum oxide abrasive
- Flexible latex B-wt. backing, with a full resin bond and open coat
- Water-based stearate, non-pigmented, No-Fil coating

BENEFITS

- Fast cutting action and extended life with consistent finish
- Improved resistance to delamination; no delamination to back-up pad
- Can be used moist or wet
- Provides improved load resistance
- No color transfer to work



AVAILABILITY  
STICK AND SAND (PSA)  
DISC ROLLS  
NON-VACUUM



TIER:	<b>BEST</b>	<b>BETTER</b>	<b>BETTER</b>	<b>GOOD</b>	<b>GOOD</b>
BRAND:	Norton	Norton	Norton	Norton	Merit
CAP CODE:	<b>A975 NO-FIL</b>	<b>A275 NO-FIL</b>	<b>A475 NO-FIL</b>	<b>A290 NO-FIL</b>	<b>PB273 NO-LOAD</b>
ABRASIVE:	Ceramic Alumina	Aluminum Oxide	Silicon Carbide	Aluminum Oxide	Aluminum Oxide
PAPER BACKING WEIGHT:	B- & C-Weight	B-Weight	B-Weight	C-Weight	B-Weight
OTHER:	P-Graded	P-Graded	P-Graded	P-Graded	P-Graded

SIZE	GRIT	ROLLS/ STD. PKG.	DISCS/ ROLL	PART NO.	PART NO.	PART NO.	PART NO.	PART NO.
3-1/2	80	4	100		66261136376			
	120			66261136375				
	180			66261136373				
	220			66261136372				
	320			66261136369				
	400			66261136368				
5	60	4	100		66261131464*	66254487415	66261149831	
	80			66261140502	66261131463*	66254487417	66261149830	66623362930
	100			66261140501	66261131462*	66254487418	66261149829	
	120			66261140500	66261131461*	66254487440	66261149828	66623362929
	150			66261140499	66261131460*	66254487441	66261149827	66623362928
	180			66261140498	66261131459*	66254487442	66261149826	66623362927
	220			66261142474	66261131458*	66254487443	66261149825	66623362926
	240			66261155380	66261131457*		66261149824	66623362925
	280			66261155379	66261131456*	66254487444	66261149823	
	320			66261155378	66261131454*	66261065293	66261149822	66623362924
	400			66261155377	66261131453*		66261149821	66623362923
	500			66254480231				
	600			66623305608			66254421217	66623362922
	800			66254480230			66254401221	66623362921
6	60	4	100		66261131481*	66254487446	66261149847	
	80			66261140512	66261131480*	66261149842	66623362940	
	100			66261140511	66261131479*	66261149841	69957352447	
	120			66261140510	66261131478*	66254487447	66261149840	66623362939
	150			66261140509	66261131477*	66261149839	66261149838	66623362938
	180			66261140508	66261131476*	66254487448	66261149837	66623362937
	220			66261148340	66261131475*	66254487449	66261149836	66623362936
	240			66261155376	66261131474*		66261149835	66623362935
	280			66261155375	66261131473*	66254487450	66261149834	66623362934
	320			66261155374	66261141198*			
	360				66261131471*		66261149833	66623362933
	400			66261155373	66261131470*			
	500			63642506198*	66261131469*			
	600			63642506199*	66261131468*			66623362932
800	63642506200*				66623362931			
8	80	4	100		66261131617			
	120			66261131615				
	150			66261131614				
	180			66261131613				
	220			66261131612				
	320			66261131609				


\* PACKAGING STANDARDS A975, A275 = 6/100



PSA Disc Roll Dispenser

- Norton disc roll dispensers feature heavy-duty construction and a rubberized finish to protect your product, as well as the finish on your workpiece
- These versatile dispensers are designed to accommodate any 5" or 6" disc roll or sheet roll
- They can be attached to a wall or stacked for multi-grit or multi-diameter operations
- Discs are individually dispensed and removed from the roll by a cutter bar

DESCRIPTION	STD. PKG.	PART NO
<b>PSA Disc Roll Dispenser</b>		
Single Disc Roll Dispenser	1	63642542772
Double Disc Roll Dispenser (shown)	1	63642502981



AVAILABILITY  
STICK AND SAND (PSA)  
DISC ROLLS  
NON-VACUUM



TIER:

BRAND:

CAP CODE:

ABRASIVE:

PAPER BACKING WEIGHT:

SIZE	GRIT	ROLLS/STD. PKG.	DISCS/ROLL	PART NO.	PART NO.	PART NO.
5	60	4	100	66261149873	66261137310	
	80			66261149872	66261137309	66261124977
	100			66261149871	66261137308	66261125597
	120			66261149870	66261137307	
	150				66261137306	
6	60	4	100	66261149876	66261137323	
	80			66261149874	66261137322	66261125573
	120					
8	100	4	50	66261149879		
	120				66261137333	

AVAILABILITY  
STICK AND SAND (PSA)  
DISC ROLLS – VACUUM



TIER:

BRAND:

CAP CODE:

ABRASIVE:

PAPER BACKING WEIGHT:

OTHER:



TIER:



BRAND:

CAP CODE:

ABRASIVE:

PAPER BACKING WEIGHT:

OTHER:

SIZE	GRIT	ROLLS/STD. PKG.	DISCS/ROLL	PART NO.	ROLLS/STD. PKG.	DISCS/ROLL	PART NO.
							
				5 IN. X 5 HOLE DIE #3329			
5	60	6	100		4	100	66261130266
	80			66261131498			66261130265
	100			66261131497			66261130264
	120			66261131496			66261130263
	150			66261131495			66261130262
	180			66261131494			66261130261
	220			66261131493			66261130260
	240			66261131492			66261130259
	320			66261131490			66261130258
	400			66261131488			
	500			66261131487			
							
				6 IN. X 6 HOLE DIE #3333			
6	80	6	100		4	100	66261130276
	100			66261131515			66261130275
	120			66261131514			66261130274
	150			66261131513			66261130273
	180			66261131512			66261130272
	220			66261131511			66261130271
	240			66261131510			
	280			66261131509			
	320			66261131508			
	400			66261131507			
	600			66261131505			
	66261131503		66261130268				

Refer to the end of this section for back-up pads and accessories.



AVAILABILITY  
HOOK AND LOOP  
NON-VACUUM



TIER:	<b>BEST</b>	<b>BEST</b>	<b>BEST</b>	<b>BETTER</b>	<b>BETTER</b>	<b>BETTER</b>	<b>GOOD</b>	<b>GOOD</b>
BRAND:	Norton	Norton	Norton	Norton	Norton	Norton	Merit	Norton
CAP CODE:	<b>H920</b>	<b>A975 NO-FIL</b>	<b>Q260</b>	<b>H875P</b>	<b>A275 NO-FIL</b>	<b>A475 NO-FIL</b>	<b>PB273 NO-LOAD</b>	<b>A290 NO-FIL</b>
ABRASIVE:	Ceramic Alumina	Ceramic Alumina	Aluminum Oxide	Zirconia Alumina	Aluminum Oxide	Silicon Carbide	Aluminum Oxide	Aluminum Oxide
PAPER BACKING WEIGHT:	F-Weight	B- & C-Weight	Film	E-Weight	B-Weight	B-Weight	B-Weight	C-Weight
OTHER:		P-Graded	P-Graded		P-Graded	P-Graded	P-Graded	P-Graded

SIZE	GRIT	MIN./ STD PKG.	PART NO.	PART NO.	PART NO.	PART NO.	PART NO.	PART NO.	PART NO.	PART NO.
3	80	50/200					66261131532			
	100						66261144926			
	120						66261128688			
	150						66261140385			
	180						66261131528			
	220						66261131527			
	240						66261131526			
	320						66261131524			
	400						66261136995			
	500						66261131521			
	600						66261136996			
	800						66261131519			
	1000					63642506068		66261135900		
1200				63642506069						
1500				63642506070		66261147434				
5	40	25/100				66261125684				
	60	100/400	66261149864*							66261130224
	80		66261149865*	66261140522‡		66261125444•	66261131549		66623362950	66261149907
	100		66261149866*	66261140521‡			66261131548		66623365788	66261149906
	120		66261149867*	66261140520‡			66261131547		66623362949	66261149905
	150			66261140519‡			66261131546		66623362948	66261149904
	180			66261140518‡			66261131545		66623362947	66261149903
	220			66261149541‡			66261131544		66623362946	66261149902
	240			66261149540‡			66261131543		66623362945	
	280						66261131542			
	320				66261149538‡		66261131541		66623362944	66261149900
	400				66261149537‡		66261131539	66261052270	66623362943	66261149899
	500				66254480233‡		66261131538			
	600				66663305616‡		66261131537	66254421221	66623362942	
	800				66254480232‡		66261131536	66261052267	66623362941	
	1000						66261131535	66261052254		
1200						66261131534				
1500					66261131533					
6	36	25/100				66261123590				
	40					66261123589				
	80	100/400				66261123588•				
	100			66261140532‡		66261131566		66623362960	66261149916	
	120			66261140531‡		66261131565		66623365789	66261149915	
	150			66261140530‡		66261131564		66623362959	66261149914	
	180			66261140529‡		66261131563		66623362958	66261149913	
	220			66261140528‡		66261131562		66623362957	66261149912	
	240			66261149546‡		66261131561		66623362956	66261149911	
	280					66261131560		66623362955		
	320				66261149543‡		66261131559			66261149910
	400				66261149542‡		66261131558	66261052269	66623362954	66261149909
	500				63642506202‡		66261131556		66623362953	66261149908
600				63642506203‡		66261131555				
800				63642506204‡		66261131554		66623362952		
1000			63642506375‡	63642506041‡	66261131553	66261052268	66623362951			
1200			63642506376‡	63642506042‡	66261131552	66261052255				
1500			63642506377‡	63642506043‡	66261131551					
8	36	25/100				66261123593				
	40					66261123592				
	60	50/250								
	80					66261123591•				
	100	50/250								
	120	100/400								
180						66261131662				
						66261131661				


PACKAGING STANDARDS: MIN. / STD. PKG.

\* H920 = 50/250


‡ A975, Q260, A290 = 50/200

• H875P = 25/100











Refer to the end of this section for back-up pads and accessories.




AVAILABILITY  
HOOK AND LOOP  
VACUUM



TIER:	<b>BEST</b>	<b>BETTER</b>	<b>BETTER</b>	<b>GOOD</b>	<b>GOOD</b>	<b>GOOD</b>
BRAND:	Norton	Norton	Norton	Norton	Norton	Merit
CAP CODE:	<b>A975 NO-FIL</b>	<b>H875P</b>	<b>A275 NO-FIL</b>	<b>A290 NO-FIL</b>	<b>A290 NO-FIL</b>	<b>PB273 NO-LOAD</b>
ABRASIVE:	Ceramic Alumina	Zirconia Alumina	Aluminum Oxide	Aluminum Oxide	Aluminum Oxide	Aluminum Oxide
PAPER BACKING WEIGHT:	B- & C-Weight	E-Weight	B-Weight	C-Weight	C-Weight	B-Weight
OTHER:	P-Graded		P-Graded	P-Graded	P-Graded	P-Graded


SIZE	GRIT	MIN./ STD PKG.	PART NO.	PART NO.	PART NO.	PART NO.	PART NO.	PART NO.
5	60	100/400	 5 IN. X 5 HOLE DIE #3328		 5 IN. X 5 HOLE DIE #3328	 5 IN. X 5 HOLE DIE #3328	 5 IN. X 8 HOLE DIE #3392	 5 IN. X 8 HOLE DIE #3392
	80		66261140517‡		66261131583	66261130236‡	66261130245‡	66623366071
	100				66261131582	66261130235‡	66261130244‡	
	120		66261140515‡		66261131581	66261130234‡	66261130243‡	66623369778
	150				66261131580	66261130233‡	66261130242‡	66623366073
	180				66261131579	66261130232‡	66261130241‡	66623366074
	220				66261131578	66261130231‡	66261130240‡	66623366075
	240				66261131577	66261130230‡	66261130239‡	
	280							
	320				66261131575	66261130227‡	66261130238‡	66623366077
400				66261131573	66261130226‡			
600				66261131571				
6	80	100/400	 6 IN. X 6 HOLE DIE #3371		 6 IN. X 6 HOLE DIE #3371	 6 IN. X 6 HOLE DIE #3371		 6 IN. X 6 HOLE DIE #3371
	100		66261140527‡		66261131600	66261130255‡		66623367394
	120				66261131599			
	150				66261131598	66261130253‡		66623367397
	180				66261131597			66623367398
	220				66261131596	66261130251‡		66623367399
	280				66261131595	66261130250‡		
	320		66261149553‡		66261131593			66623367400
	400				66261131592			66623367401
	600				66261131590			
800				66261131588				
1000				66261131587				
1200				66261131586				
1500				66261131585				
8	36	25/100		 8 IN. X 8 HOLE DIE #3370				
	80			66261123598				
				66261123596				

PACKAGING STANDARDS: ‡ A975, A975 VACUUM, A290 VACUUM = 50/200



For Fein/Festo Sanders


High-performance abrasives for high performance sanders. Now available: No-Fil Norton Drylce A975 discs with center vacuum hole for Fein and Festo random orbital sanders.



6 IN. X 9 HOLE  
DIE #3408-2

TIER:	<b>BEST</b>
BRAND:	Norton
CAP CODE:	<b>A975 NO-FIL</b>
ABRASIVE:	Ceramic Alumina
PAPER BACKING WEIGHT:	B- & C-Weight
OTHER:	P-Graded

SIZE	GRIT	STD. PKG.	PART NO.
6	80	50/200	07660705489
	100		07660705488
	120		07660705487
	150		07660705486
	220		07660705484



AVAILABILITY  
INDIVIDUAL  
STICK AND SAND  
(PSA) DISCS


TIER:  
BRAND:  
CAP CODE:  
ABRASIVE:  
PAPER BACKING WEIGHT:  
FASTENING:  
OTHER:

<b>BETTER</b>	<b>BETTER</b>	<b>BETTER</b>	<b>GOOD</b>	<b>GOOD</b>
Norton	Norton	Norton	Norton	Merit
<b>H875P</b>	<b>H875P</b>	<b>A275 NO-FIL</b>	<b>H290</b>	<b>PB273 NO-LOAD</b>
Zirconia Alumina	Zirconia Alumina	Aluminum Oxide	Aluminum Oxide	Aluminum Oxide
E-Weight	E-Weight	B-Weight	F-Weight	B-Weight
PSA	PSA Vacuum	PSA Tabbed	PSA	PSA Tabbed
		P-Graded	P-Graded	P-Graded

SIZE	GRIT	MIN./ STD PKG.	PART NO.	PART NO.	PART NO.	PART NO.	PART NO.
				 5" X 5 HOLE DIE #3328			
5	36 40 80 100 120 150 180 220 240 320 400 600 800 1000 1200	50/200   100/400	66261125436 66261125307 66261125244	66261124919			69957348198‡ 69957348200 69957348201 69957348202 69957348203 69957348204 69957348205 69957348206 69957348207 69957348223 69957348224
				 6" X 6 HOLE DIE #3371			
6	36 40 80 1000 1200 1500	50/200   100/400	66261123575 66261123574 66261123573	66261123580		66261131450 66261131449	66261130834‡ 66261130833‡ 66261130832‡
				 8" X 8 HOLE DIE #3370			
8	36 40 80	25/100	66261123578 66261123577 66261123576	66261123584  66261123582			66261130827• 66261130826•

PACKAGING STANDARDS:  
MIN. / STD. PKG.  
• H290 = 50/200  
‡ H290 AND PB273 = 100/400

Refer to the end of this section for back-up pads and accessories.



FEATURED PRODUCTS



**MULTI-AIR HOOK AND LOOP VACUUM**

LESS DUST; MORE PRODUCTIVITY

**FEATURES**

- Revolutionary design for maximum vacuum assist
- Cutting surface of disc remains clean
- Highly-engineered back-up pad
- Unique SoftTouch discs on durable foam in fine grits
- A975: Expanded offering of stock 5" 400 - 800 grit and 6" 120 - 1000 grit discs

**BENEFITS**

- 30% increase in dust extraction; clogging is virtually eliminated
- Cleaner working environment; less dust and contamination
- 35% increase in productivity versus traditional vacuum systems
- No clogging; consistent cut throughout the life of the disc
- Revolutionary style for maximum dust extraction
- Sand over contours without cutting through
- Color-coded by grit size for easy identification
- Ideal for polishing and finishing jobs

AVAILABILITY  
HOOK AND LOOP  
VACUUM



TIER:	BEST	BEST	BETTER
BRAND:	Norton	Norton	Norton
CAP CODE:	<b>A975 NO-FIL</b>	<b>BLUEFIRE H835</b>	<b>A275 NO-FIL SOFTTOUCH</b>
ABRASIVE:	Ceramic Alumina	Zirconia Alumina	Aluminum Oxide
PAPER BACKING WEIGHT:	B- & C-Weight	E-Weight	B-Weight
OTHER:	P-Graded		P-Graded

SIZE	GRIT	MIN./STD PKG.	PART NO.	PART NO.	PART NO.	
5 x 11/16	80	100/400	63642563535			
	120		63642563536			
	150		63642563537			
	180		63642563538			
	220		63642563539			
	320		63642563542			
	400		63642563543			
	500		66623327202			
	600		66623327203			
	800		66623327204			
6 x 11/16	80	50/200	63642506243	66261181412		
	120	100/400	63642506244 *			
	150		63642506245 *			
	180		63642506246 *			
	220		63642506247 *			
	240		63642506248 *			
	320		63642506250 *			
	400		63642506251 *			
	500		63642506252 *			
	600		63642506253 *			
	800		63642506254 *			
	800		20/80			63642560577
	1000				63642506378	63642560578
	1500					63642560579

\*A975 6" DISCS: MIN./STD. PKG. - 50/200





**Multi-Air Foam Interface Pads**

- Allow sanding of contours and improve surface finish.
- Use with fine grit hook and loop Multi-Air sanding discs.
- Use with Multi-Air back-up pads.
- Not for use with Multi-Air SoftTouch discs.

DESCRIPTION	STD. PKG.	PART NO.
<b>Multi-Air Interface Pads</b>		
5" Pad	16	63642585864
6" Pad	12	07660719359
8" Pad	10	07660782019



**Multi-Air Hook and Loop Back-up Pads with Vacuum Holes**

- Multi-Air back-up pads are engineered to work as a system with our Multi-Air discs to enhance the performance of the discs by aligning with the discs' holes maximizing dust extraction and life of the discs.
- These pads are recommended for all Multi-Air applications.
- Pads have longer hooks for maximum hold.

DESCRIPTION	STD. PKG.	PART NO.
<b>Multi-Air Back-Up Pads with Vacuum Holes</b>		
5" (125mm) with 5/16"-24 Shank, Urethane Pad	1	66623376000
6" (150mm) with 5/16"-24 Shank, Urethane Pad	1	63642506160
8" (203mm) 5-Bolt for National Detroit	1	07660782017



**Low-Profile Pads for Dual Action / Random Orbital Sanders**

- Soft density low-profile pads utilize 1/2" thick foam for fine finish sanding and offer moderate conformability.
- Medium low-profile pads have 1/2" thick urethane foam for intermediate and finish sanding.
- Firm density low-profile pads utilize 1/4" thick urethane foam for flash and seam removal.
- Available with PSA or hook and loop faces. Both designs are shock resistant and have a fiberglass backing plate with a riveted 5/16"-24 threaded shank for added strength and increased heat resistance.
- Available with standard hole patterns for vacuum-assist sanding.

DESCRIPTION	MAX. RPM	STD. PKG.	PART NO.
<b>Low Profile Pads for DA/Random orbital Sanders</b>			
3" Foam Polishing Pad		10	63642504295
3" Hook & Loop Soft Low-Profile	12,000	10*	63642506128
3" x 7/8" Hook & Loop Pad		10	63642541947
3-1/4" Hook & Loop Buffing Pad		5*	66261085302
5" PSA Soft Low-Profile	12,000	5*	63642506126
5" PSA Medium Low-Profile	15,000	5*	63642506131
5" PSA Medium Low-Profile with 5 vacuum holes	15,000	5*	63642506132
5" Hook & Loop Soft Low-Profile	12,000	5*	63642506129
5" Hook & Loop Medium Low-Profile	15,000	5*	63642506135
5" Hook & Loop Medium Low-Profile with 5 vacuum holes	15,000	5*	63642506136
6" PSA Soft Low-Profile	12,000	5*	63642506127
6" PSA Medium Low-Profile	15,000	5*	63642506133
6" PSA Medium Low-Profile with 6 vacuum holes	15,000	5*	63642506134
6" Hook & Loop Soft Low-Profile	12,000	5*	63642506130
6" Hook & Loop Medium Low-Profile	15,000	5*	63642506137
6" Hook & Loop Medium Low-Profile with 6 vacuum holes	15,000	5*	63642506138
8" Hook & Loop Medium Low-Profile with 8 vacuum holes, 5 screw	1,500	5*	63642543712
8" Hook & Loop Medium Low-Profile with 8 vacuum holes, 6 screw	1,500	5*	63642543714

\* PACKED IN INDIVIDUAL CLAMSHELL



**Tapered Pads for Dual Action / Random Orbital Sanders**

- Designed with medium density polyurethane foam and a tapered edge for conformability, these pads are firm enough for flat surfaces, yet soft enough for severe curves and contours.
- Available with either PSA (vinyl) or hook and loop faces in vacuum or non-vacuum.
- The 5" and 6" pads are shock resistant and have a fiberglass backing plate with a riveted 5/16"-24 threaded shank for use on random orbital or dual action sanders.
- The 8" pads have a 5/8"-11 threaded female hub.

DESCRIPTION	MAX. RPM	STD. PKG.	PART NO.
<b>Tapered Pads for DA/Random Orbital Sanders</b>			
5" PSA Medium Tapered	15,000	5*	63642506139
5" PSA Medium Tapered with 5 vacuum holes	15,000	5*	63642506140
5" Hook & Loop Medium Tapered	15,000	5*	63642506143
5" Hook & Loop Medium Tapered with 5 vacuum holes	15,000	5*	63642506144
6" PSA Medium Tapered	15,000	5*	63642506141
6" PSA Medium Tapered with 6 vacuum holes	15,000	5*	63642506142
6" Hook & Loop Medium Tapered	15,000	5*	63642506145
6" Hook & Loop Medium Tapered with 6 vacuum holes	15,000	5*	63642506146
8" PSA Medium Tapered	6,000	5*	63642543112
8" Hook & Loop Medium Tapered	3,200	5*	63642543704

\* PACKED IN INDIVIDUAL CLAMSHELL



**Hook & Loop Foam Interface Pads**

- Designed for use with our fine grit hook and loop sanding discs.
- Improve both surface finish and cut rate.
- Use with hook and loop back-up pads.

DESCRIPTION	STD. PKG.	PART NO.
<b>Foam Hook &amp; Loop Interface Pads</b>		
3" Diameter, 1/2" Thick Interface	10	63642505457
6" Diameter, 1/2" Thick Interface	5	63642542089
5" Diameter, 3/4" Thick Interface	2	63642502161
6" Diameter, 3/4" Thick Interface	2	63642502162



**Half Moon Hand Pad**

- The unique half moon pad uses a standard 5" hook and loop disc folded in half, which adheres to the hooks on the pad face.
- The straight edge of the pad allows the operator to sand corners, contours, narrow crevices and minute imperfections without over-sanding.

DESCRIPTION	STD. PKG.	PART NO.
<b>Half Moon Hand Pad</b>		
5" Hook and Loop	10	63642502768



**Polishing Adapter Pad**

- Converts your standard hook and loop pad into a soft polishing pad.
- The foam adapter is 3/8" thick and is excellent for fine grits where minimal removal is required.
- It is ideal for either flat or contour surfaces.

DESCRIPTION	MAX. RPM	STD. PKG.	PART NO.
<b>Polishing Adapter Pad</b>			
5" Hook and Loop Adapter Pad	3,786	10	63642503121



**Ergonomic Hand Sanders**

- The ergonomic palm sander is uniquely designed to be user-friendly, with finger indentations for the operator.
- It quickly converts standard 5" and 6" hook and loop discs into hand sanders for finishing flat surfaces.

DESCRIPTION	STD. PKG.	PART NO.
<b>Ergonomic Hand Sander</b>		
5" Hook and Loop	5	63642503147
6" Hook and Loop	5	63642503726



**Disc Hand Pads**

- Hand pads eliminate finger sanding.
- The 1" thick pad is composed of two layers, neoprene and polyester foam, for excellent conformability and softness, resulting in fine finishes.
- The ultra-thin 3/16" thick pad is composed of a single layer of neoprene foam and is designed for maximum flexibility – producing excellent finishes.
- Each pad has an elastic hand strap to hold it firmly in place.
- Available with either PSA (vinyl) faces or hook and loop face.

DESCRIPTION	STD. PKG.	PART NO.
<b>Disc Hand Pads</b>		
5" x 3/16" Thick Soft Foam PSA	10	63642503111
5" x 1" Thick Soft Foam PSA	10	63642502842
5" x 1" Thick Soft Foam Hook and Loop	10	63642503117



**Panel and Adhesive Cleaner**

- Removes adhesives, tar, grease, wax, body sealers, undercoating sprays, and silicone from most surfaces.
- Aggressive cleaner is safe to use on most paint applications.
- Packaged with squirt dispenser.
- Use as directed.

DESCRIPTION	STD. PKG.	PART NO.
<b>Panel and Adhesive Cleaner</b>		
Quart Can	12	07660782780