

CK80 GAS-COOLED

CK80 & CK80V RIGID

HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Rigid Head	1 Piece	12½ ft. (3.8m)	CK812H	CK812HSF
		25 ft. (7.6m)	CK825H	CK825HSF
	2 Piece	12½ ft. (3.8m)	CK812N	CK812NSF
		25 ft. (7.6m)	CK825N	CK825NSF
Rigid Head w/ Valve	1 Piece	12½ ft. (3.8m)	CK812VH	CK812VHSF
		25 ft. (7.6m)	CK825VH	CK825VHSF
	2 Piece	12½ ft. (3.8m)	CK812VN	CK812VNSF
		25 ft. (7.6m)	CK825VN	CK825VNSF

- Gas-Cooled
- 80 amp ACHF or DCSP @ 100%
- 8-1/4" (20.9cm) 2-1/4 oz (64gm)
- 8 Series Head Accessories



CK80 REPLACEMENT PART PAGE LOCATOR:

8 Series Consumables: 57 Torch: 51 Handle: 51 Cables: 46 Adapter/Dinse: 39-42, 44

CK90 FLEX GAS-COOLED

CK90 & CK90V FLEX

HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Flex Head	1 Piece	12½ ft. (3.8m)	CK912H	CK912HSF
		25 ft. (7.6m)	CK925H	CK925HSF
	2 Piece	12½ ft. (3.8m)	CK912N	CK912NSF
		25 ft. (7.6m)	CK925N	CK925NSF
Flex Head w/ Valve	1 Piece	12½ ft. (3.8m)	CK912VH	CK912VHSF
		25 ft. (7.6m)	CK925VH	CK925VHSF
	2 Piece	12½ ft. (3.8m)	CK912VN	CK912VNSF
		25 ft. (7.6m)	CK925VN	CK925VNSF

- Gas-Cooled
- 90 amp ACHF or DCSP @ 100%
- 8" (20.3cm) 2-1/4 oz (64gm)
- 8 Series Head Accessories



CK90 REPLACEMENT PART PAGE LOCATOR:

8 Series Consumables: 57 Torch: 51 Handle: 51 Cables: 46 Adapter/Dinse: 39-42, 44

CK100 GAS-COOLED

CK100 & CK100V RIGID

HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Rigid Head	1 Piece	12½ ft. (3.8m)	CK112H	CK112HSF
		25 ft. (7.6m)	CK125H	CK125HSF
	2 Piece	12½ ft. (3.8m)	CK112N	CK112NSF
		25 ft. (7.6m)	CK125N	CK125NSF
Rigid Head w/ Valve	1 Piece	12½ ft. (3.8m)	CK112VH	CK112VHSF
		25 ft. (7.6m)	CK125VH	CK125VHSF
	2 Piece	12½ ft. (3.8m)	CK112VN	CK112VNSF
		25 ft. (7.6m)	CK125VN	CK125VNSF

- Gas-Cooled
- 125 amp ACHF or DCSP @ 100%
- 7-1/2" (19.0cm) 2-3/4 oz (78gm)
- 2 Series Head Accessories



CK100 REPLACEMENT PART PAGE LOCATOR:

2 Series Consumables: 54 Torch: 51 Handle: 51 Cables: 46 Adapter/Dinse: 39-42, 44

CK130 GAS-COOLED

CK130 & CK130V RIGID				
HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Rigid Head	1 Piece	12½ ft. (3.8m)	CK1312H RG	CK1312HSF RG
		25 ft. (7.6m)	CK1325H RG	CK1325HSF RG
	2 Piece	12½ ft. (3.8m)	CK1312N RG	CK1312NSF RG
		25 ft. (7.6m)	CK1325N RG	CK1325NSF RG
Rigid Head w/ Valve	1 Piece	12½ ft. (3.8m)	CK1312VH RG	CK1312VHSF RG
		25 ft. (7.6m)	CK1325VH RG	CK1325VHSF RG
	2 Piece	12½ ft. (3.8m)	CK1312VN RG	CK1312VNSF RG
		25 ft. (7.6m)	CK1325VN RG	CK1325VNSF RG

- Gas-Cooled
- 130 amp ACHF or DCSP @ 100%
- 8" (20.3cm) 3-1/2 oz (99gm)
- 2 Series Head Accessories



CK130 & CK130V FLEX				
HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Flex Head	1 Piece	12½ ft. (3.8m)	CK1312H FX	CK1312HSF FX
		25 ft. (7.6m)	CK1325H FX	CK1325HSF FX
	2 Piece	12½ ft. (3.8m)	CK1312N FX	CK1312NSF FX
		25 ft. (7.6m)	CK1325N FX	CK1325NSF FX
Flex Head w/ Valve	1 Piece	12½ ft. (3.8m)	CK1312VH FX	CK1312VHSF FX
		25 ft. (7.6m)	CK1325VH FX	CK1325VHSF FX
	2 Piece	12½ ft. (3.8m)	CK1312VN FX	CK1312VNSF FX
		25 ft. (7.6m)	CK1325VN FX	CK1325VNSF FX

- Gas-Cooled
- 130 amp ACHF or DCSP @ 100%
- 8" (20.3cm) 3-1/2 oz (99gm)
- 2 Series Head Accessories



CK130 REPLACEMENT PART PAGE LOCATOR:

2 Series Consumables: 54	Torch: 51	Handle: 51	Cables: 46	Adapter/Dinse: 39-42, 44
--------------------------	-----------	------------	------------	--------------------------

CKPF130 PENCIL FLEX GAS-COOLED

CKPF130 PENCIL FLEX				
HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Flex Head	1 Piece	12½ ft. (3.8m)	CKPF1312H	CKPF1312HSF
		25 ft. (7.6m)	CKPF1325H	CKPF1325HSF

- GAS-COOLED
- 130 amp ACHF or DCSP @100%
- 11" (15.2cm) 3 oz (85gm)
- 2 Series Head Accessories

6" (15.2cm) Neck



*Custom Lengths Available Up to 12" (30.2cm)

CKPF130 REPLACEMENT PART PAGE LOCATOR:

2 Series Consumables: 54	Torch: 51	Handle: 51	Cables: 46	Adapter/Dinse: 39-42, 44
--------------------------	-----------	------------	------------	--------------------------



FL130 GAS-COOLED

FL130 & FL130V FLEX-LOC SERIES				
HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
FL2L	1 Piece	12½ ft. (3.8m)	FL1312	FL1312SF
		25 ft. (7.6m)	FL1325	FL1325SF
FL2L w/Valve	1 Piece	12½ ft. (3.8m)	FL1312V	FL1312VSF
		25 ft. (7.6m)	FL1325V	FL1325VSF

- Gas-Cooled
- 130 Amps (w/FL2L) ACHF or DCSP @ 100%
- 7-3/4" (19.6cm) 4-3/4 oz (135gm)
- 2 Series Head Accessories
- FL2L Head



FL130 REPLACEMENT PART PAGE LOCATOR:

2 Series Consumables: 54	Torch: 51	Handle: 51	Cables: 47	Adapter/Dinse: 39-42, 44
--------------------------	-----------	------------	------------	--------------------------



Follow us:

[Back To Table of Contents](#)

FL150 GAS-COOLED

FL150 & FL150V FLEX-LOC SERIES

HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
FL3L	1 Piece	12½ ft. (3.8m)	FL1512	FL1512SF
		25 ft. (7.6m)	FL1525	FL1525SF
FL3L w/Valve	1 Piece	12½ ft. (3.8m)	FL1512V	FL1512VSF
		25 ft. (7.6m)	FL1525V	FL1525VSF

FL150 REPLACEMENT PART PAGE LOCATOR:

3 Series Consumables: 55	Torch: 51	Handle: 51	Cables: 47	Adapter/Dinse: 39–42, 44
--------------------------	-----------	------------	------------	--------------------------

- Gas-Cooled
- 150 Amps (w/FL3L) ACHF or DCSP @ 100%
- 8-1/2" (21.6cm) 7 oz (198gm)
- 3 Series Head Accessories
- FL3L Head



CK150 GAS-COOLED

CK150 & CK150V RIGID

HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Rigid Head	1 Piece	12½ ft. (3.8m)	CK1512H RG	CK1512HSF RG
		25 ft. (7.6m)	CK1525H RG	CK1525HSF RG
	2 Piece	12½ ft. (3.8m)	CK1512N RG	CK1512NSF RG
		25 ft. (7.6m)	CK1525N RG	CK1525NSF RG
Rigid Head w/ Valve	1 Piece	12½ ft. (3.8m)	CK1512VH RG	CK1512VHSF RG
		25 ft. (7.6m)	CK1525VH RG	CK1525VHSF RG
	2 Piece	12½ ft. (3.8m)	CK1512VN RG	CK1512VNSF RG
		25 ft. (7.6m)	CK1525VN RG	CK1525VNSF RG

CK150 & CK150V FLEX

HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Flex Head	1 Piece	12½ ft. (3.8m)	CK1512H FX	CK1512HSF FX
		25 ft. (7.6m)	CK1525H FX	CK1525HSF FX
	2 Piece	12½ ft. (3.8m)	CK1512N FX	CK1512NSF FX
		25 ft. (7.6m)	CK1525N FX	CK1525NSF FX
Flex Head w/ Valve	1 Piece	12½ ft. (3.8m)	CK1512VH FX	CK1512VHSF FX
		25 ft. (7.6m)	CK1525VH FX	CK1525VHSF FX
	2 Piece	12½ ft. (3.8m)	CK1512VN FX	CK1512VNSF FX
		25 ft. (7.6m)	CK1525VN FX	CK1525VNSF FX

CK150 REPLACEMENT PART PAGE LOCATOR:

3 Series Consumables: 55	Torch: 51	Handle: 51	Cables: 46	Adapter/Dinse: 39–42, 44
--------------------------	-----------	------------	------------	--------------------------

- Gas-Cooled
- 150 amp ACHF or DCSP @ 100%
- 8-1/8" (20.6cm) 5 oz (141gm)
- 3 Series Head Accessories



- Gas-Cooled
- 150 amp ACHF or DCSP @ 100%
- 8-3/4" (22.2cm) 5 oz (141gm)
- 3 Series Head Accessories



CKC150 GAS-COOLED CONTRACTOR SPECIAL

CKC150 & CKC150V RIGID

HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Rigid Head	1 Piece	12½ ft. (3.8m)	CKC1512H	CKC1512HSF
		25 ft. (7.6m)	CKC1525H	CKC1525HSF
	2 Piece	12½ ft. (3.8m)	CKC1512N	CKC1512NSF
		25 ft. (7.6m)	CKC1525N	CKC1525NSF
Rigid Head w/ Valve	1 Piece	12½ ft. (3.8m)	CKC1512VH	CKC1512VHSF
		25 ft. (7.6m)	CKC1525VH	CKC1525VHSF
	2 Piece	12½ ft. (3.8m)	CKC1512VN	CKC1512VNSF
		25 ft. (7.6m)	CKC1525VN	CKC1525VNSF

CKC150 REPLACEMENT PART PAGE LOCATOR:

3 Series Consumables: 55	Torch: 51	Handle: 51	Cables: 47	Adapter/Dinse: 39–42, 44
--------------------------	-----------	------------	------------	--------------------------

- Gas-Cooled
- 150 amp ACHF or DCSP @ 100%
- 7-3/4" (19.6cm) 4-1/2 oz (127gm)
- 3 Series Head Accessories
- Stainless Steel Head



CKM150 GAS-COOLED

CKM150

HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Rigid Head	1 Piece	12½ ft. (3.8m)	CKM1512H	CKM1512HSF
		25 ft. (7.6m)	CKM1525H	CKM1525HSF
	2 Piece	12½ ft. (3.8m)	CKM1512N	CKM1512NSF
		25 ft. (7.6m)	CKM1525N	CKM1525NSF

CKM150 REPLACEMENT PART PAGE LOCATOR:

3 Series Consumables: 55	Torch: 51	Handle: 51	Cables: 46	Adapter/Dinse: 39–42, 44
--------------------------	-----------	------------	------------	--------------------------

- Gas-Cooled
- 150 amp ACHF or DCSP @ 100%
- 8-3/4" (22.2cm) 5 oz (141gm)
- 3 Series Head Accessories



CK210 GAS-COOLED

CK210 & CK210V RIGID

HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Rigid Head	1 Piece	12½ ft. (3.8m)	CK2112H RG	CK2112HSF RG
		25 ft. (7.6m)	CK2125H RG	CK2125HSF RG
	2 Piece	12½ ft. (3.8m)	CK2112N RG	CK2112NSF RG
		25 ft. (7.6m)	CK2125N RG	CK2125NSF RG
Rigid Head w/ Valve	1 Piece	12½ ft. (3.8m)	CK2112VH RG	CK2112VHSF RG
		25 ft. (7.6m)	CK2125VH RG	CK2125VHSF RG
	2 Piece	12½ ft. (3.8m)	CK2112VN RG	CK2112VNSF RG
		25 ft. (7.6m)	CK2125VN RG	CK2125VNSF RG

- Gas-Cooled
- 200 amp ACHF or DCSP @ 100%
- 9-1/2" (24.1cm) 7-1/2 oz (212gm)
- 3 Series Head Accessories



CK210 & CK210V FLEX

HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Flex Head	1 Piece	12½ ft. (3.8m)	CK2112H FX	CK2112HSF FX
		25 ft. (7.6m)	CK2125H FX	CK2125HSF FX
	2 Piece	12½ ft. (3.8m)	CK2112N FX	CK2112NSF FX
		25 ft. (7.6m)	CK2125N FX	CK2125NSF FX
Flex Head w/ Valve	1 Piece	12½ ft. (3.8m)	CK2112VH FX	CK2112VHSF FX
		25 ft. (7.6m)	CK2125VH FX	CK2125VHSF FX
	2 Piece	12½ ft. (3.8m)	CK2112VN FX	CK2112VNSF FX
		25 ft. (7.6m)	CK2125VN FX	CK2125VNSF FX

- Gas-Cooled
- 200 amp ACHF or DCSP @ 100%
- 9-5/8" (24.4cm) 7-1/2 oz (212gm)
- 3 Series Head Accessories



CK210 REPLACEMENT PART PAGE LOCATOR:

3 Series Consumables: 55	Torch: 51	Handle: 51	Cables: 47	Adapter/Dinse: 39-42, 44
--------------------------	-----------	------------	------------	--------------------------

TL210 GAS-COOLED

TL210 & TL210V RIGID TRIM-LINE™ SERIES

HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Rigid Head	1 Piece	12½ ft. (3.8m)	TL2112H RG	TL2112HSF RG
		25 ft. (7.6m)	TL2125H RG	TL2125HSF RG
	2 Piece	12½ ft. (3.8m)	TL2112N RG	TL2112NSF RG
		25 ft. (7.6m)	TL2125N RG	TL2125NSF RG
Rigid Head w/ Valve	1 Piece	12½ ft. (3.8m)	TL2112VH RG	TL2112VHSF RG
		25 ft. (7.6m)	TL2125VH RG	TL2125VHSF RG
	2 Piece	12½ ft. (3.8m)	TL2112VN RG	TL2112VNSF RG
		25 ft. (7.6m)	TL2125VN RG	TL2125VNSF RG

- Gas-Cooled
- 200 amp ACHF or DCSP @ 100%
- 8-1/8" (20.6cm) 5 oz (141gm)
- 3 Series Head Accessories



TL210 & TL210V FLEX TRIM-LINE™ SERIES

HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Flex Head	1 Piece	12½ ft. (3.8m)	TL2112H FX	TL2112HSF FX
		25 ft. (7.6m)	TL2125H FX	TL2125HSF FX
	2 Piece	12½ ft. (3.8m)	TL2112N FX	TL2112NSF FX
		25 ft. (7.6m)	TL2125N FX	TL2125NSF FX
Flex Head w/ Valve	1 Piece	12½ ft. (3.8m)	TL2112VH FX	TL2112VHSF FX
		25 ft. (7.6m)	TL2125VH FX	TL2125VHSF FX
	2 Piece	12½ ft. (3.8m)	TL2112VN FX	TL2112VNSF FX
		25 ft. (7.6m)	TL2125VN FX	TL2125VNSF FX

- Gas-Cooled
- 200 amp ACHF or DCSP @ 100%
- 8-1/8" (20.6cm) 5 oz (141gm)
- 3 Series Head Accessories



TL210 REPLACEMENT PART PAGE LOCATOR:

3 Series Consumables: 55	Torch: 51	Handle: 51	Cables: 47	Adapter/Dinse: 39-42, 44
--------------------------	-----------	------------	------------	--------------------------

CKM210 PENCIL GAS-COOLED

CKM210 PENCIL TORCH

HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Rigid Head	1 Piece	12½ ft. (3.8m)	CKM2112H	CKM2112HSF
		25 ft. (7.6m)	CKM2125H	CKM2125HSF
	2 Piece	12½ ft. (3.8m)	CKM2112N	CKM2112NSF
		25 ft. (7.6m)	CKM2125N	CKM2125NSF

- Gas-Cooled
- 200 amp ACHF or DCSP @ 100%
- 9-5/8" (24.4cm) 7-1/2 oz (212gm)
- 3 Series Head Accessories



CKM210 REPLACEMENT PART PAGE LOCATOR:

3 Series Consumables: 55	Torch: 51	Handle: 51	Cables: 47	Adapter/Dinse: 39-42, 44
--------------------------	-----------	------------	------------	--------------------------



Follow us: [YouTube](#)



[Back To Table of Contents](#)