

CK9 GAS-COOLED

CK9 & CK9V RIGID

HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Rigid Head	1 Piece	12½ ft. (3.8m)	CK9-12-R RG	CK9-12-RSF RG
		25 ft. (7.6m)	CK9-25-R RG	CK9-25-RSF RG
	2 Piece	12½ ft. (3.8m)	CK9-12-2 RG	CK9-12-2SF RG
		25 ft. (7.6m)	CK9-25-2 RG	CK9-25-2SF RG
Rigid Head w/ Valve	1 Piece	12½ ft. (3.8m)	CK9V-12-R RG	CK9V-12-RSF RG
		25 ft. (7.6m)	CK9V-25-R RG	CK9V-25-RSF RG
	2 Piece	12½ ft. (3.8m)	CK9V-12-2 RG	CK9V-12-2SF RG
		25 ft. (7.6m)	CK9V-25-2 RG	CK9V-25-2SF RG



- Gas-Cooled
- 125 amp ACHF or DCSP @ 100%
- 7-1/2" (19.0cm) 2-3/4 oz (78gm)
- 2 Series Head Accessories

CK9 & CK9V FLEX

HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Flex Head	1 Piece	12½ ft. (3.8m)	CK9-12-R FX	CK9-12-RSF FX
		25 ft. (7.6m)	CK9-25-R FX	CK9-25-RSF FX
	2 Piece	12½ ft. (3.8m)	CK9-12-2 FX	CK9-12-2SF FX
		25 ft. (7.6m)	CK9-25-2 FX	CK9-25-2SF FX
Flex Head w/ Valve	1 Piece	12½ ft. (3.8m)	CK9V-12-R FX	CK9V-12-RSF FX
		25 ft. (7.6m)	CK9V-25-R FX	CK9V-25-RSF FX
	2 Piece	12½ ft. (3.8m)	CK9V-12-2 FX	CK9V-12-2SF FX
		25 ft. (7.6m)	CK9V-25-2 FX	CK9V-25-2SF FX



- Gas-Cooled
- 125 amp ACHF or DCSP @ 100%
- 8" (20.3cm) 3-1/2 oz (99gm)
- 2 Series Head Accessories

CK9P & CK9PV PENCIL

HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Rigid Head	1 Piece	12½ ft. (3.8m)	CK9P-12-R	CK9P-12-RSF
		25 ft. (7.6m)	CK9P-25-R	CK9P-25-RSF
	2 Piece	12½ ft. (3.8m)	CK9P-12-2	CK9P-12-2SF
		25 ft. (7.6m)	CK9P-25-2	CK9P-25-2SF
Rigid Head w/ Valve	1 Piece	12½ ft. (3.8m)	CK9PV-12-R	CK9PV-12-RSF
		25 ft. (7.6m)	CK9PV-25-R	CK9PV-25-RSF
	2 Piece	12½ ft. (3.8m)	CK9PV-12-2	CK9PV-12-2SF
		25 ft. (7.6m)	CK9PV-25-2	CK9PV-25-2SF



- Gas-Cooled
- 125 amp ACHF or DCSP @ 100%
- 6" (15.2cm) 3 oz (85gm)
- 2 Series Head Accessories

CK9 REPLACEMENT PART PAGE LOCATOR:

2 Series Consumables: 54	Torch: 51	Handle: 51	Cables: 45	Adapter/Dinse: 39-42, 44
--------------------------	-----------	------------	------------	--------------------------

CK17 GAS-COOLED CONTINUED ON NEXT PAGE

CK17 & CK17V RIGID

HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Rigid Head	1 Piece	12½ ft. (3.8m)	CK17-12-R RG	CK17-12-RSF RG
		25 ft. (7.6m)	CK17-25-R RG	CK17-25-RSF RG
	2 Piece	12½ ft. (3.8m)	CK17-12-2 RG	CK17-12-2SF RG
		25 ft. (7.6m)	CK17-25-2 RG	CK17-25-2SF RG
Rigid Head w/ Valve	1 Piece	12½ ft. (3.8m)	CK17V-12-R RG	CK17V-12-RSF RG
		25 ft. (7.6m)	CK17V-25-R RG	CK17V-25-RSF RG
	2 Piece	12½ ft. (3.8m)	CK17V-12-2 RG	CK17V-12-2SF RG
		25 ft. (7.6m)	CK17V-25-2 RG	CK17V-25-2SF RG



- Gas-Cooled
- 150 amp ACHF or DCSP @ 100%
- 8-1/8" (20.6cm) 5 oz (141gm)
- 3 Series Head Accessories

CK17 REPLACEMENT PART PAGE LOCATOR:

3 Series Consumables: 55	Torch: 51	Handle: 51	Cables: 45	Adapter/Dinse: 39-42, 44
--------------------------	-----------	------------	------------	--------------------------



Follow us: [You Tube](#)



[Back To Table of Contents](#)

CK17 GAS-COOLED CONTINUED

CK17 & CK17V FLEX

HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Flex Head	1 Piece	12½ ft. (3.8m)	CK17-12-R FX	CK17-12-RSF FX
		25 ft. (7.6m)	CK17-25-R FX	CK17-25-RSF FX
	2 Piece	12½ ft. (3.8m)	CK17-12-2 FX	CK17-12-2SF FX
		25 ft. (7.6m)	CK17-25-2 FX	CK17-25-2SF FX
Flex Head w/ Valve	1 Piece	12½ ft. (3.8m)	CK17V-12-R FX	CK17V-12-RSF FX
		25 ft. (7.6m)	CK17V-25-R FX	CK17V-25-RSF FX
	2 Piece	12½ ft. (3.8m)	CK17V-12-2 FX	CK17V-12-2SF FX
		25 ft. (7.6m)	CK17V-25-2 FX	CK17V-25-2SF FX

- Gas-Cooled
- 150 amp ACHF or DCSP @ 100%
- 8-3/4" (22.2cm) 5 oz (141gm)
- 3 Series Head Accessories



CK17RG-T & CK17VRG-T THREAD-ON HANDLE

HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Rigid Head	1 Piece	12½ ft. (3.8m)	CK17-12-R RG-T	CK17-12-RSFRG-T
		25 ft. (7.6m)	CK17-25-R RG-T	CK17-25-RSFRG-T
	2 Piece	12½ ft. (3.8m)	CK17-12-2 RG-T	CK17-12-2SFRG-T
		25 ft. (7.6m)	CK17-25-2 RG-T	CK17-25-2SFRG-T
Rigid Head w/ Valve	1 Piece	12½ ft. (3.8m)	CK17V-12-R RG-T	CK17V-12-RSFRGT
		25 ft. (7.6m)	CK17V-25-R RG-T	CK17V-25-RSFRGT
	2 Piece	12½ ft. (3.8m)	CK17V-12-2 RG-T	CK17V-12-2SFRGT
		25 ft. (7.6m)	CK17V-25-2 RG-T	CK17V-25-2SFRGT

NEW!

- Gas-Cooled
- 150 amp ACHF or DCSP @ 100%
- 8-1/8" (20.6cm) 5 oz (141gm)
- 3 Series Head Accessories



THREADED HANDLE

CK17P PENCIL

HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Rigid Head	1 Piece	12½ ft. (3.8m)	CK17P-12-R	CK17P-12-RSF
		25 ft. (7.6m)	CK17P-25-R	CK17P-25-RSF
	2 Piece	12½ ft. (3.8m)	CK17P-12-2	CK17P-12-2SF
		25 ft. (7.6m)	CK17P-25-2	CK17P-25-2SF

- Gas-Cooled
- 150 amp ACHF or DCSP @ 100%
- 6" (15.2cm) 3 oz (85gm)
- 3 Series Head Accessories



CK17 REPLACEMENT PART PAGE LOCATOR:

3 Series Consumables: 55	Torch: 51	Handle: 51	Cables: 45	Adapter/Dinse: 39-42, 44
--------------------------	-----------	------------	------------	--------------------------

CK24 GAS-COOLED

CK24 & CK24V RIGID

HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Rigid Head	1 Piece	12½ ft. (3.8m)	CK24-12-R RG	CK24-12-RSF RG
		25 ft. (7.6m)	CK24-25-R RG	CK24-25-RSF RG
	2 Piece	12½ ft. (3.8m)	CK24-12-2 RG	CK24-12-2SF RG
		25 ft. (7.6m)	CK24-25-2 RG	CK24-25-2SF RG
Rigid Head w/ Valve	1 Piece	12½ ft. (3.8m)	CK24V-12-R RG	CK24V-12-RSF RG
		25 ft. (7.6m)	CK24V-25-R RG	CK24V-25-RSF RG
	2 Piece	12½ ft. (3.8m)	CK24V-12-2 RG	CK24V-12-2SF RG
		25 ft. (7.6m)	CK24V-25-2 RG	CK24V-25-2SF RG

- Gas-Cooled
- 80 amp ACHF or DCSP @ 100%
- 8-1/4" (20.9cm) 2-1/4 oz (64gm)
- 8 Series Head Accessories



CK24 & CK24V FLEX

HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Flex Head	1 Piece	12½ ft. (3.8m)	CK24-12-R FX	CK24-12-RSF FX
		25 ft. (7.6m)	CK24-25-R FX	CK24-25-RSF FX
	2 Piece	12½ ft. (3.8m)	CK24-12-2 FX	CK24-12-2SF FX
		25 ft. (7.6m)	CK24-25-2 FX	CK24-25-2SF FX
Flex Head w/ Valve	1 Piece	12½ ft. (3.8m)	CK24V-12-R FX	CK24V-12-RSF FX
		25 ft. (7.6m)	CK24V-25-R FX	CK24V-25-RSF FX
	2 Piece	12½ ft. (3.8m)	CK24V-12-2 FX	CK24V-12-2SF FX
		25 ft. (7.6m)	CK24V-25-2 FX	CK24V-25-2SF FX

- Gas-Cooled
- 90 amp ACHF or DCSP @ 100%
- 8-1/4" (20.9cm) 2-1/4 oz (64gm)
- 8 Series Head Accessories



CK24 REPLACEMENT PART PAGE LOCATOR:

8 Series Consumables: 57	Torch: 51	Handle: 51	Cables: 45	Adapter/Dinse: 39-42, 44
--------------------------	-----------	------------	------------	--------------------------

Follow us: [YouTube](#)



[Back To Table of Contents](#)

CK26 GAS-COOLED

CK26 & CK26V RIGID				
HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Rigid Head	1 Piece	12½ ft. (3.8m)	CK26-12-R RG	CK26-12-RSF RG
		25 ft. (7.6m)	CK26-25-R RG	CK26-25-RSF RG
	2 Piece	12½ ft. (3.8m)	CK26-12-2 RG	CK26-12-2SF RG
		25 ft. (7.6m)	CK26-25-2 RG	CK26-25-2SF RG
Rigid Head w/ Valve	1 Piece	12½ ft. (3.8m)	CK26V-12-R RG	CK26V-12-RSF RG
		25 ft. (7.6m)	CK26V-25-R RG	CK26V-25-RSF RG
	2 Piece	12½ ft. (3.8m)	CK26V-12-2 RG	CK26V-12-2SF RG
		25 ft. (7.6m)	CK26V-25-2 RG	CK26V-25-2SF RG

CK26 & CK26V FLEX				
HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Flex Head	1 Piece	12½ ft. (3.8m)	CK26-12-R FX	CK26-12-RSF FX
		25 ft. (7.6m)	CK26-25-R FX	CK26-25-RSF FX
	2 Piece	12½ ft. (3.8m)	CK26-12-2 FX	CK26-12-2SF FX
		25 ft. (7.6m)	CK26-25-2 FX	CK26-25-2SF FX
Flex Head w/ Valve	1 Piece	12½ ft. (3.8m)	CK26V-12-R FX	CK26V-12-RSF FX
		25 ft. (7.6m)	CK26V-25-R FX	CK26V-25-RSF FX
	2 Piece	12½ ft. (3.8m)	CK26V-12-2 FX	CK26V-12-2SF FX
		25 ft. (7.6m)	CK26V-25-2 FX	CK26V-25-2SF FX

CK26P PENCIL				
HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Rigid Head	1 Piece	12½ ft. (3.8m)	CK26P-12-R	CK26P-12-RSF
		25 ft. (7.6m)	CK26P-25-R	CK26P-25-RSF
	2 Piece	12½ ft. (3.8m)	CK26P-12-2	CK26P-12-2SF
		25 ft. (7.6m)	CK26P-25-2	CK26P-25-2SF

CK26 REPLACEMENT PART PAGE LOCATOR:

3 Series Consumables: 55	Torch: 51	Handle: 51	Cables: 45	Adapter/Dinse: 39-42, 44
--------------------------	-----------	------------	------------	--------------------------



- Gas-Cooled
- 200 amp ACHF or DCSP @ 100%
- 9-1/2" (24.1cm) 7-1/2 oz (212gm)
- 3 Series Head Accessories



- Gas-Cooled
- 200 amp ACHF or DCSP @ 100%
- 9-5/8" (24.4cm) 7-1/2 oz (212gm)
- 3 Series Head Accessories



- Gas-Cooled
- 200 amp ACHF or DCSP @ 100%
- 6" (15.2cm) 3 oz (85gm)
- 3 Series Head Accessories

TL26 GAS-COOLED

TL26 & TL26V RIGID TRIM-LINE™ SERIES				
HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Rigid Head	1 Piece	12½ ft. (3.8m)	TL26-12-R RG	TL26-12-RSF RG
		25 ft. (7.6m)	TL26-25-R RG	TL26-25-RSF RG
	2 Piece	12½ ft. (3.8m)	TL26-12-2 RG	TL26-12-2SF RG
		25 ft. (7.6m)	TL26-25-2 RG	TL26-25-2SF RG
Rigid Head w/ Valve	1 Piece	12½ ft. (3.8m)	TL26V-12-R RG	TL26V-12-RSF RG
		25 ft. (7.6m)	TL26V-25-R RG	TL26V-25-RSF RG
	2 Piece	12½ ft. (3.8m)	TL26V-12-2 RG	TL26V-12-2SF RG
		25 ft. (7.6m)	TL26V-25-2 RG	TL26V-25-2SF RG

TL26 & TL26V FLEX TRIM-LINE™ SERIES				
HEAD STYLE	CABLE	CABLE LENGTH	STANDARD #	SUPERFLEX #
Flex Head	1 Piece	12½ ft. (3.8m)	TL26-12-R FX	TL26-12-RSF FX
		25 ft. (7.6m)	TL26-25-R FX	TL26-25-RSF FX
	2 Piece	12½ ft. (3.8m)	TL26-12-2 FX	TL26-12-2SF FX
		25 ft. (7.6m)	TL26-25-2 FX	TL26-25-2SF FX
Flex Head w/ Valve	1 Piece	12½ ft. (3.8m)	TL26V-12-R FX	TL26V-12-RSF FX
		25 ft. (7.6m)	TL26V-25-R FX	TL26V-25-RSF FX
	2 Piece	12½ ft. (3.8m)	TL26V-12-2 FX	TL26V-12-2SF FX
		25 ft. (7.6m)	TL26V-25-2 FX	TL26V-25-2SF FX

TL26 REPLACEMENT PART PAGE LOCATOR:

3 Series Consumables: 55	Torch: 51	Handle: 51	Cables: 45	Adapter/Dinse: 39-42, 44
--------------------------	-----------	------------	------------	--------------------------



- Gas-Cooled
- 200 amp ACHF or DCSP @ 100%
- 8-1/8" (20.6cm) 5 oz (141gm)
- 3 Series Head Accessories



- Gas-Cooled
- 200 amp ACHF or DCSP @ 100%
- 8-1/8" (20.6cm) 5 oz (141gm)
- 3 Series Head Accessories



Follow us:

[Back To Table of Contents](#)